**EAST Search History**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L2 | 0 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (inform$3 near3 regist $5) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:30 |

| L3 | 0 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (inform$3 near7 regist $5) and (@ad< "20030829" or @rlad< "20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:31 |
| L4 | 0 | (supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:31 |

| | | configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (inform$3 near7 regist $5)) and (@ad< "20030829" or @rlad< "20030829") | | | | |
|---|---|---|---|---|---|---|
| L5 | 0 | (supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:32 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (comunicat$3 near7 regist$5)) and (@ad<"20030829" or @rlad<"20030829") | | | | |
| L6 | 8 | (supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:33 |

| | | freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (communicat$3 near7 regist$5)) and (@ad<"20030829" or @rlad<"20030829") | | | | |
|---|---|---|---|---|---|---|
| L7 | 32902 | server near3 regist$7 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:46 |
| L8 | 636 | server near3 regist$7 and trading and second and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:48 |
| L9 | 2280 | server near3 regist$7 and trad$3 and second and (inform$3 or communicat$3) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:48 |
| L10 | 110 | server near3 regist$7 and trad$3 and second and (inform$3 or communicat$3) and supply adj chain near3 manage$4 and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:49 |
| L11 | 110 | (server near3 regist$7 and trad$3 and second and (inform$3 or communicat$3) and supply adj chain near3 manage$4) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:54 |
| L12 | 109 | (server near3 regist$7 and trad$3 and (second same first) and (inform$3 or communicat$3) and supply adj chain near3 manage$4) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:55 |
| L13 | 1 | (server near3 regist$7 and trad$3 and ((second same first) near3 trading) and (inform$3 or communicat$3) and supply adj chain near3 manage$4) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 18:56 |
| L14 | 0 | "20000116205" | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 19:11 |

| L15 | 0 | "2000/0116205" | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 19:11 |
|-----|-----|----------------|------------------|-----|-----|------------|
| L16 | 34 | "2002/0116205" | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 19:11 |
| L17 | 2 | "20020116205" | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/12 19:11 |
| S1 | 0 | (09/765341).CCLS. | USPAT; USOCR; FPRS | OR | OFF | 2008/11/18 11:19 |
| S2 | 2 | 09/765341 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 11:20 |
| S3 | 11 | 09/965854 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 11:20 |
| S4 | 7 | 09/850521 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 11:21 |
| S5 | 3583 | supply adj chain near3 manage$4 and data | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 14:59 |
| S6 | 2404 | supply adj chain near3 manage$4 and data and server and network | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:00 |
| S7 | 2467 | supply adj chain near3 manage$4 and data and server and (network or internet or router) | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:04 |
| S8 | 865 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:05 |
| S9 | 779 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:05 |

| S10 | 560 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:06 |
|-----|-----|---|---|---|---|---|
| S11 | 341 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:10 |
| S12 | 340 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:12 |
| S13 | 158 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and remind$3 and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:13 |

| S14 | 275 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:14 |
|-----|-----|-----|-----|-----|-----|-----|
| S15 | 93 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and apparatus and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:17 |
| S16 | 156 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:17 |

| S17 | 156 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:19 |
| S18 | 156 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:22 |

| | | $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and (@ad<"20030829" or @rlad<"20030829") | | | | |
|---|---|---|---|---|---|---|
| S19 | 110 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and (@ad<"20030829" or @rlad<"20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:31 |

| S20 | 109 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (@ad< "20030829" or @rlad< "20030829") | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:32 |
| S21 | 110 | supply adj chain near3 manage$4 and data and server and (network or internet or router) and trad $3 and entit$3 and first and second and regist$6 and (s format$3 or reformat$4 or structur$3 or restructur$3 or arrang$5 or reconfigur$5 or tailor$3 or customiz$4 or customis$4 or personaliz$2 or personalis$2 or individualis $2 or individualiz$2 or configur$4 or layout) and | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2008/11/18 15:33 |

| | | (email or fax or facsimile or data adj exchange) and remind$3 and (apparatus or device or hardware or apparatus or apparatuses or appliance or appliances or machine$2 or component or product or unit or module or middleware or middle adj ware) and (persona or profile or preference or characteristic $ or history or data or pattern or facts or info or record or file or information or particulars or element or detail$ or agreement or priority or prioriti$ or criteri $2 or (name near5 (address or (phone or telephone) or (email or e adj mail)))) and ( arrival adj time or custom $2 near3 detail or bill near3 lading or purchase adj order or manifest near3 detail or freight and value or receipt near3 shipment) and trad$3 near3 partner and expir$5 and (@ad< "20030829" or @rlad< "20030829") | | | | |
|---|---|---|---|---|---|---|
| S22 | 2 | "20020099598" | US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB | AND | ON | 2009/05/11 14:03 |

**5/12/2009 9:57:45 PM**
**C:\ Documents and Settings\ Janderson3\ My Documents\ EAST\ Workspaces\ rce 10-788430.wsp**